



RELOCATE LAMP COLUMN CLOSER TO EDGE OF FOOTWAY TO INCREASE FOOTWAY WIDTH

PROPOSED RAISED UNCONTROLLED CROSSING. ROAD WIDTH TO BE NARROWED TO 5.50M.

HERITAGE BOLLARDS WITH REFLECTIVE BAND TO BE PROVIDED ON THE CORNERS OF THE BUILDOUT

- NOTES:**
1. THIS DRAWING IS BASED ON TOPOGRAPHIC SURVEY ("TS21-395-1 2D.DWG") UNDERTAKEN BY TERRAIN SURVEYS ON 16/08/21.
 2. ALL DIMENSIONS IN METRES UNLESS OTHERWISE STATED.
 3. DO NOT SCALE FROM THIS DRAWING.
- KEY:**
- EXISTING OS
 - EXISTING UTILITY CABINET
 - EXISTING UTILITY COVER
 - PROPOSED KERB
 - PROPOSED TACTILE PAVING
 - PROPOSED FOOTWAY RESURFACING (PCC SLABS)
 - PROPOSED RAISED TABLE (ASPHALT)
 - PROPOSED ROAD MARKINGS
 - EXISTING ROAD GULLY
 - NEW ROAD GULLY
 - EXISTING LAMP COLUMN
 - RELOCATED LAMP COLUMN

DRAFT

PO	19AUG21	ORIGINAL ISSUE	ACC	MNO
REV	DATE	DESCRIPTION	DES	CHK APP

steer

www.steergroup.com

Client: LONDON BOROUGH OF RICHMOND UPON THAMES

Project Title: TOWN CENTRE IMPROVEMENTS

Drawing Title: PARK SHOT FEASIBILITY DESIGN

Status: WORK IN PROGRESS

Size: A3	Scale: 1:200	Suitability: SO	Rev: PO
----------	--------------	-----------------	---------

Drawing No. 23027504-SDG-HGN-TW9-D-DR-00103

